## APPLICATION FOR PERMIT

## TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office JUN 21 1989
Returned to applicant for correction. OCT 1 7 1989
Correction application filed.
Map filed
Clark County Pogional Flood Control Digtrict
The applicant Clark County Regional Flood Control District
301 E. Clark, Suite 300 , of Las Vegas  Street and No. or P.O. Box No. City or Town
Nevada 89101, hereby make Sapplication for permission to appropriate the publication for permission appropriate the publication appropriate the publication for permission appropriate the publication appropria
waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation)
tion; if a copartnership or association, give names of members.)
1. The source of the proposed appropriation is 4 unnamed washes  Name of stream, lake, spring, underground or other source
Angel Park Detention Basin
2. The amount of water applied for is 980 One second-foot equals 448.83 gals. per min. second-fe
One second-foot equals 448.83 gals. per min.  (a) If stored in reservoir give number of acre-feet
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.
4. If use is for:
(a) Irrigation, state number of acres to be irrigated:
(b) Stockwater, state number and kinds of animals to be watered:
(c) Other use (describe fully under "No. 12. Remarks" stormwater detention
(d) Power:
(1) Horsepower developed
(2) Point of return of water to stream
5. The water is to be diverted from its source at the following point: E½ Sec 29, T20S, R60E and  Describe as being within a 40-acre subdivision of pub
NET NET COO 29 TOOK DEAF
NE NE Sec. 32, T20S, R60E survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.
6. Place of use same as #5  Describe by legal subdivision. If on unsurveyed land, it should be so stated.
7. Use will be begin about January 1 and end about December 31, of each year.  Month and Day Month and Day
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans at
specifications of your diversion or storage works.) detention basin across 4 unnamed  State manner in which water is to be diverted, i.e. diversion structure, ditches a
washes flumes, drilled well with pump and motor, etc.
9. Estimated cost of works. \$300,000

11. Estimated time required to complete the application of water to beneficial useindefinite  12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or ann consumptive use.  Stored water is to be totally released  Therefore, there is no consumptive use  S/Virginia Bax Valentine By
Stored water is to be totally released  Therefore, there is no consumptive use  S/Virginia Bax Valentine  By 301 E. Clark, Suite 300  Las Vegas, NV 89101  Compared cc/se  Protested  OF STATE ENGINEER  This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to
Therefore, there is no consumptive use  S/Virginia Bax Valentine By 301 E. Clark, Suite 300 Las Vegas, NV 89101  Compared CC/Se  Protested  OF STATE ENGINEER  This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to
Therefore, there is no consumptive use  S/Virginia Bax Valentine By. 301 E. Clark, Suite 300 Las Vegas, NV 89101  Compared
S/Virginia Bax Valentine  By 301 E. Clark, Suite 300  Las Vegas, NV 89101  ComparedOF STATE ENGINEER  This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to
By 301 E. Clark, Suite 300 Las Vegas, NV 89101  ComparedOF STATE ENGINEER  This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to
Protested
This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to
This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to
The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, a
not to exceedcubic feet per second
***************************************
Work must be prosecuted with reasonable diligence and be completed on or before
Proof of completion of work shall be filed before
Application of water to beneficial use shall be filed on or before
Proof of the application of water to beneficial use shall be filed on or before
Map in support of proof of beneficial use shall be filed on or before
Completion of work filed
Proof of beneficial use filed
Cultural map filed
A.D  Certificate NoIssued
State Engineer  DEC 18 1989  BECAUSE OF
BECAUSE OF REFILE CORRECTED APPLICATION